



LEINOS COUNTERTOP OIL 280

100% Food-Safe Surface. Safe to Cook and Eat.

*The German food-safe oil made for the one surface
where food really happens — your wooden kitchen counter.*



A close-up photograph of a light-colored wooden surface, likely a cutting board or countertop. The wood grain is visible and runs diagonally. There are two prominent stains: a large, dark brown circular water stain on the left and a smaller, irregular yellow stain on the right. In the upper right corner, a portion of a glass and a wooden object are visible.

THE DAILY ASSAULT

A wooden counter drinks everything.

*Coffee at dawn. Turmeric at noon.
Water by the sink, red wine at dinner.
Bare wood soaks it all in — and remembers.*

It does not have to.



PERMISSION

Certified safe for the surface where food happens.

Tested for migration to EN 71-3, the toy-safety standard.

Ready for direct food contact once fully cured.

Open-pored and breathable — the wood stays wood.



WHAT IT IS

One oil, built for the kitchen counter.

Natural oils and natural resins. Open-pored, deep-penetrating.

Water-resistant. Resists coffee, red wine and fruit-juice stains.

Food-safe once cured — tested for migration to EN 71-3.

Colourless. About 190 to 320 sq ft per litre per coat. Min 2 coats.

1



2



3



THE FULL SYSTEM

Three steps. Food-safe throughout.

- 1 • Countertop Oil 280 — two thin penetrating coats, cure ~7 days before food use
- 2 • Wood Care Balm 311 — food-safe periodic refresh for the counter
- 3 • Vegetable Soap 930 — gentle routine cleaning, damp not wet

Article numbers order-ready. Every step certified food-safe.



TRUST

Safe for food contact.
Safe for your family.

Food-safe certified, made in Germany since 1985.

Reincke Naturfarben, Horneburg.

Every ingredient declared on the can.





HONEST COMPARISON

Food-safe oil. vs Film finish.

	COUNTERTOP OIL 280	FILM FINISH (PU / LAMINATE)
MECHANISM	soaks into the wood	plastic film on the surface
FOOD CONTACT	certified, tested to EN 71-3	often not rated for food
REPAIR	re-oil worn spots in place	chips or peels, then replace
BREATHABILITY	open-pore, vapour-permeable	sealed film, can trap moisture
FEEL	natural wood touch	plastic sheen



INVESTMENT

Protect it once. Keep it for years.

From about ₹22 per square foot per coat (2.5 L).

2.5 L Colourless covers about 678 sq ft per coat.

Also in 0.75 L and 0.25 L for smaller counters and touch-ups.

Worn or dry spots re-oil in place — no sanding, no replacement.





THE RITUAL

Oil it. Wipe it. Then let it cure.

Two thin coats · let it soak · wipe off the excess · ventilate while it dries.

Ready for daily food use once fully cured, about seven days.

Refresh with food-safe Wood Care Balm 311 · clean with Vegetable Soap 930.



APPLICATION TECHNICAL

For the specifier.

Substrate	• absorbent interior wood — worktops, furniture, children toys
Tools	• cloth • brush • pad — let penetrate, wipe off the excess
Coats	• two minimum • substrate above 15 C • ventilate while drying
Drying	• dust-dry 6 to 12 h • recoat ~12 h • food-contact cure ~7 days
Coverage	• about 190 to 320 sq ft per litre per coat • colourless
Compliance	• food-safe, EN 71-3 migration tested • VOC 360 g/l (EU class F)



PROFESSIONAL TRUST

Specified for Indian kitchens.

*From solid-wood islands and breakfast counters
to dining tables, chopping surfaces and children furniture —
the food-safe oil the architect can specify with confidence.*

Reference projects available on request.



NEXT STEP

Reply to this message.

*A LEINOS specialist is one reply away.
We will calculate the exact quantity your
wooden countertop needs, down to the coat.*



WhatsApp • +91 9997897474
sales@leinos.in • www.leinos.in
LEINOS Organic Paints Pvt. Ltd.

Khasra No. 646/1, Road No. Zero, Bakshi Farm Road, Ghitorni, 110030 New Delhi