



LEINOS SILICATE PAINT 690

It Doesn't Coat Your Wall. It Becomes It.

*The mineral wall paint that bonds into the wall itself —
nothing to peel, and nothing for mould to feed on.*






THE FILM ON TOP

Ordinary paint sits on top of the wall.

*A film traps the damp, feeds the mould,
and lifts away — so the humid rooms get
repainted, season after season.*

It does not have to.



THE REFRAME

It turns to stone
with your wall.

*LEINOS Silicate Paint mineralises into the wall itself —
not a skin on top, but part of the stone.
You cannot peel stone, and mould cannot feed on it.*

WHAT IT IS

A mineral wall paint, made of stone.

Water-based silicate paint for interior walls and ceilings.

Potassium water glass and mineral pigments. VOC 1 g/l.

Natural white, or a limited alkali-fast mineral palette.

About 54 to 86 sq ft per litre per coat.



1



2



3



THE SILICATE SYSTEM

Prime mineral. Paint mineral.

- 1 • Silicate Primer 621 — seals and evens absorbency on plaster, gypsum, plasterboard
- 2 • Silicate Paint 690 — two thin coats, brush, roll or spray, mineralises into the wall
- 3 • Sound mineral substrates only — not over old lacquer or latex coatings

Interior walls and ceilings. Tint with alkali-fast Pigment Concentrates 668.



NOTHING TO FEED

Mould-proof by nature, not by chemistry.

Naturally mould-resistant — no biocides, no fungicides.

The mineral surface gives mould nothing to feed on.

Fully breathable, so damp escapes instead of building up.

Wash-resistant — scrub Class 2, wipe it clean.

Mineral paint, the German way — Reincke Naturfarben.



TECHNICAL DATA

For the specifier.

Type	• dispersion silicate paint (potassium water glass), water-based
VOC	• 1 g/l • EU limit 30 g/l (Cat a)
Breathable	• sd-value about 0.01 m — highly vapor-open
Washable	• wet-abrasion Class 2 (DIN EN 13300)
Coverage	• about 54 to 86 sq ft per litre per coat • packs 2.5 L and 10 L
Drying	• dust-dry ~3 h • recoat ~4 h • full cure 24 h • EWC 08 01 20

INVESTMENT

Cover calmly. It stays put.

From about ₹42 to ₹59 per square foot, two coats.
2.5 L covers about 107 sq ft · 10 L about 430 sq ft (two coats).

₹6,290 for 2.5 L · ₹17,890 for 10 L.

Prime once with Silicate Primer 621, then two thin coats.





REAL MINERAL COLOUR

The colours of earth and stone.

Natural white, or tinted with alkali-fast mineral pigments —
earth oxides, ochres and umbers that fuse into the wall.

Real mineral colour, not a coat of plastic over it.

A limited, honest palette — permanent by nature.



HONEST ABOUT IT

Mineral, and we mean it.

A dispersion silicate — mostly mineral, water-based, VOC 1 g/l.

Mould-resistant by alkalinity, not biocides — no biocides,
nothing to feed on.

Alkaline while wet: protect eyes and skin, ventilate as it cures.

It ages by slow chalking, not peeling — a feature, not a fault.



PROFESSIONAL TRUST

Specified for damp rooms.

*From humid bathrooms and kitchens to heritage
and modern walls — a mineral finish that resists mould
without chemistry, breathes, and wipes clean.*

Interior walls and ceilings. Prime with 621. Tint with alkali-fast 668.



NEXT STEP

Give your walls something to keep.

*A LEINOS specialist is one reply away.
We will help you choose your mineral shade and
calculate the quantity your walls need.*

WhatsApp · +91 9997897474

sales@leinos.in · www.leinos.in

LEINOS Organic Paints Pvt. Ltd.

Khasra No. 646/1, Road No. Zero, Bakshi Farm Road,
Ghitorni, 110030 New Delhi

