



LEINOS FINISHING LACQUER 840

Rich Colour That Resists Yellowing.

*The German silk-gloss colour lacquer for doors, windows and furniture —
ten heritage shades that hold their colour and sheen for years.*





THE SLOW FADE

Cheap enamel yellows.
Then it chips.

*A season or two of heat and humidity,
and ordinary gloss paint turns yellow,
chalky and brittle at every edge.*

It does not have to.



THE REFRAME

A finish that stays
as true as the day
you painted it.

*High opacity, low yellowing, weather- and light-resistant.
A silk-gloss colour that holds indoors and out.
Ten heritage shades — or any colour you like.*



WHAT IT IS

A colour coat, built to hold its colour.

Silk-gloss cover lacquer for wood, metal and trim — indoors and out.

High opacity and clean edge coverage. Low yellowing.

Weather- and light-resistant. Biocide-free and aromatic-free.

Ten heritage shades plus custom colour. About 110 to 155 sq ft per litre per coat.

1



2



3



THE FULL SYSTEM

Prime. Colour. Match anything.

- 1 • Resin Lacquer Primer 810 — fast-dry sanding + filling base for wood, metal, stone
- 2 • Finishing Lacquer 840 — coloured silk-gloss topcoat, two thin coats, ten shades
- 3 • Finishing Lacquer Mix 845 — machine-tinted to any NCS or RAL colour

*Stain-prone surface? Block first with Insulating Primer 815.
Clean tools with Thinner 200.*



THE PALETTE

Ten heritage colours.
Any shade you like.

White • Black • Yellow • Nordic Red • Dove Blue
Blue • Leaf Green • Fir Green • Steel Grey • Anthracite Grey

Need another colour? Matched at our Delhi lab to any NCS or RAL shade.

Made in Germany since 1985. Plant-oil binder, biocide-free.



HONEST COMPARISON

Colour lacquer. vs Gloss enamel.

	FINISHING LACQUER 840	ORDINARY GLOSS ENAMEL
YELLOWING	low — holds its colour	yellowes and chalks fast
OPACITY	high, clean edge coverage	thin, streaky edges
BINDER	plant-oil, aromatic-free	petro-solvent, often smells
COLOUR	ten shades + any NCS or RAL	limited stock shades
REPAIR	sand and recoat in place	strip and start over





INVESTMENT

Finish it once. Keep the colour for years.

From about ₹52 per square foot per coat (2.5 L).

2.5 L covers about 318 sq ft per coat.

Also in 0.75 L, 0.25 L and 0.10 L for doors,
frames and touch-ups.

Any shade matched at our Delhi lab — NCS or RAL.





THE RITUAL

Prime. Sand. Then lay the colour.

Prime with Resin Lacquer Primer 810 • sand lightly (P180) between coats.
Brush, roll or spray two thin coats • protect from rain and sun while drying.
Solvent-borne — keep the room ventilated • clean tools with Thinner 200.



APPLICATION TECHNICAL

For the specifier.

Substrate	• interior + exterior wood, metal, stoneware — not floors or galvanized
System	• prime with 810 (or 815 to block stains) • sand P180 between coats
Coats	• two thin coats • brush, roll or spray • protect from rain and sun
Drying	• dust-dry ~8 h • grip-firm ~12 h • sand and recoat after 24 h
Coverage	• about 110 to 155 sq ft per litre per coat • ten shades + NCS / RAL
Compliance	• biocide-free • aromatic-free • VOC within EU Cat e (limit 400 g/l)



PROFESSIONAL TRUST

Specified for Indian interiors.

*From panelled doors and window frames
to wardrobes, trim and radiators —
a silk-gloss colour the architect can specify to an exact shade.*

Custom NCS or RAL matching at the LEINOS Delhi lab.



NEXT STEP

Reply to this message.

*A LEINOS specialist is one reply away.
We will match your exact shade and calculate the
quantity your doors, windows and furniture need.*



WhatsApp · +91 9997897474
sales@leinos.in · www.leinos.in
LEINOS Organic Paints Pvt. Ltd.
Khasra No. 646/1, Road No. Zero,
Bakshi Farm Road, Ghitorni, 110030 New Delhi